# Refine Search

## Search Results -

| Terms | Documents |
|-------|-----------|
| L117 and L125 | 22 |

**Database:**
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

**Search:**
L126

[Refine Search]

[Recall Text ⬍]   [Clear]   [Interrupt]

## Search History

**DATE:** **Friday, November 23, 2007**    **Purge Queries**    Printable Copy    Create Case

| Set Name side by side | Query | Hit Count | Set Name result set |
|------|-------|-----------|---------------------|
| *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | | | |
| L126 | L117 and L125 | 22 | L126 |
| L125 | (layer\$3 or hierarch\$3) near driver same (((common or standardiz\$5) near format) or conver\$3 or translat\$3) | 166 | L125 |
| L124 | device near (handler or id or identif\$6) same ((common or standardiz\$5) near format) | 23 | L124 |
| L123 | (719/321 \|719/322 \|719/323 \|719/324 \|719/325 \|719/326 \|719/327 \|719/328).ccls. and L121 | 5 | L123 |
| L122 | driver near initializ\$3 and L121 | 0 | L122 |
| L121 | device adj control adj block | 457 | L121 |
| *DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR* | | | |
| L120 | LEE-HYONG-KYUN! | 2 | L120 |
| *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | | | |
| L119 | L73 and L118 | 21 | L119 |

| L118 | L108 and L117 | 140 | L118 |
| L117 | L113 or L114 or L115 or L116 | 11226 | L117 |
| L116 | (719/328).ccls. | 1382 | L116 |
| L115 | (713/1 \|713/2 \|713/100).ccls. | 4870 | L115 |
| L114 | (710/3 \|710/4 \|710/5 \|710/6 \|710/7 \|710/8 \|710/9 \|710/10).ccls. | 4683 | L114 |
| L113 | (719/321 \|719/322 \|719/323 \|719/324 \|719/325 \|719/326 \|719/327).ccls. | 1098 | L113 |
| L112 | L110 and L108 | 50 | L112 |
| L111 | L106 and L110 | 0 | L111 |
| L110 | handle near (device or instrument) | 30794 | L110 |
| L109 | L106 and L108 | 0 | L109 |
| L108 | chang$3 near driver | 6164 | L108 |
| L107 | driver near intializ$4 and L106 | 0 | L107 |
| L106 | vary$3 near pointer | 161 | L106 |
| L105 | vary$3 near pointer with driver | 0 | L105 |
| L104 | chang$3 near (first or second) near driver | 43 | L104 |
| L103 | vary$3 near address with pointer | 14 | L103 |
| L102 | pointer with driver near chang$3 | 21 | L102 |
| L101 | initializ$4 near device and L100 | 60 | L101 |
| L100 | unsigned near integer and driver | 890 | L100 |
| L99 | unsigned near integer with driver | 1 | L99 |
| L98 | unsigned near integer with ((device or handler) near (id or identifier)) | 7 | L98 |

*DB=USPT; PLUR=YES; OP=OR*

| L97 | US-5909592-A.did. | 1 | L97 |
| L96 | US-5909592-A.did. | 1 | L96 |

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| L95 | (application or program or system) near (call or request or commands) with ((device or handler) near (id or identifier)) | 86 | L95 |
| L94 | (device near initializ$5) with ((device or handler) near (id or identifier)) | 66 | L94 |
| L93 | L90 and L92 | 43 | L93 |
| L92 | (device or handler) near (identifier or id) | 24579 | L92 |
| L91 | device near handler near (identifier or id) | 2 | L91 |
| L90 | ((translat$3 or conver$5) near commands) with driver | 728 | L90 |
| L89 | @pd<20020808 and L88 | 143 | L89 |
| L88 | ((translat$3 or conver$5) near (calls or request)) with driver | 359 | L88 |
| L87 | access$3 near indirect$3 with driver | 11 | L87 |
| L86 | (call or request) with indirect$3 near driver | 2 | L86 |
| L85 | @pd<20020808 and L77 | 21 | L85 |
| L84 | @pd<20020808 and L83 | 1 | L84 |
| L83 | control near command and L82 | 11 | L83 |
| L82 | indirect$3 near driver | 130 | L82 |
| L81 | calls near indirect$3 with driver | 10 | L81 |

*DB=USPT; PLUR=YES; OP=OR*

| L80 | '5680620'.pn. | 1 | L80 |
| L79 | '5784615'.pn. | 1 | L79 |
| L78 | '5874960'.pn. | 1 | L78 |

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| L77 | generic near interface with driver | 95 | L77 |
| L76 | L73 and L75 | 156 | L76 |
| L75 | ((conver$4 or translat$3) near (request or command or call)) | 27223 | L75 |
| L74 | L72 and L73 | 11 | L74 |
| L73 | ((abstract$3 or transparen$2 or dll or librar$3 or generic$4 or api) near driver) | 2118 | L73 |
| L72 | ((conver$4 or translat$3) near application near (request or command or call)) | 278 | L72 |
| L71 | (driver or device) near initializ$4 and L70 | 7 | L71 |
| L70 | level near (1 or 2) with initializ$4 | 259 | L70 |
| L69 | level near (1 or 2) with initiatization | 0 | L69 |
| L68 | level near 2 near initiatization | 0 | L68 |
| L67 | (pointer or handle) near device adj control adj block | 4 | L67 |
| L66 | L64 and L65 | 57 | L66 |
| L65 | (configuration or ini or initializ$4) near (data or file) | 66445 | L65 |
| L64 | device adj control adj block | 457 | L64 |
| L63 | L58 and L62 | 0 | L63 |
| L62 | L59 and L61 | 47 | L62 |
| L61 | (reset or write or read) near pointer | 11221 | L61 |
| L60 | L58 and L59 | 0 | L60 |
| L59 | (open or close) near channel | 50793 | L59 |
| L58 | control near block with (configuration or ini or initializ$4) near (data or file) | 158 | L58 |
| L57 | control near block with (handler or pointer) near (configuration or ini or initializ$4) near (data or file) | 4 | L57 |
| L56 | L43 and L55 | 4 | L56 |
| L55 | pointer with ((device or driver) near table) | 124 | L55 |
| L54 | pointer with ((command near control) near table) | 4 | L54 |
| L53 | pointer near ((command near control) near table) | 1 | L53 |
| L52 | L45 and L51 | 1 | L52 |
| L51 | pointer near ((command or control) near table) | 94 | L51 |
| L50 | ((device or driver) near table with (command near (table or id or identifier))) | 39 | L50 |
| L49 | function near pointer and command near (id or identifier) | 48 | L49 |
| L48 | L43 and L47 | 8 | L48 |
| L47 | ((command or control) near table) with driver | 313 | L47 |
| L46 | L38 and L45 | 59 | L46 |
| L45 | (device or driver) near table | 12957 | L45 |

| L44 | L38 and L43 | 81 | L44 |
|---|---|---|---|
| L43 | command near (id or identifier) | 4042 | L43 |
| L42 | L38 and L41 | 1 | L42 |
| L41 | pointer with ((ini or initializ$4) near file) | 61 | L41 |
| L40 | pointer with ((ini or initializ$4) near file) | 61 | L40 |
| L39 | pointer near ((ini or initializ$4) near file) | 18 | L39 |
| L38 | pointer with ((command or control) near table) | 701 | L38 |

*DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR*

| L37 | LEE-HYONG-KYUN! | 2 | L37 |
|---|---|---|---|

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| L36 | 6282586.pn. | 2 | L36 |
|---|---|---|---|

*DB=JPAB; PLUR=YES; OP=OR*

| L35 | 8272717 | 0 | L35 |
|---|---|---|---|

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| L34 | (atapi or ide) and ((id or identif$6) near (request or query or command)) with (conver$4 or translat$3) | 45 | L34 |
|---|---|---|---|
| L33 | (atapi or ide) same (id or identif$6) near (request or query or command) | 55 | L33 |
| L32 | (atapi or ide) with (id or identif$6) near (request or query or command) | 28 | L32 |
| L31 | @pd<20020808 and L30 | 78 | L31 |
| L30 | L28 and L29 | 205 | L30 |
| L29 | (client or application or host) near (request or command or query) | 83856 | L29 |
| L28 | device near initializ$5 same (device adj handler or (identif$6 or id) or ((standard$4 or common) near format)) | 825 | L28 |
| L27 | bridge adj driver and ((device near (id or identif$6)) or (parameter near (information or data))) | 32 | L27 |
| L26 | bridge adj driver same ((device near (id or identif$6)) or (parameter near (information or data))) | 4 | L26 |
| L25 | ide/atapi and parameter near (information or data) | 5 | L25 |
| L24 | L16 and L23 | 131 | L24 |
| L23 | ((device or handler) near (id or identif$5)) with format | 879 | L23 |
| L22 | generat$3 with ((device or handler) near (id or identif$5)) with format | 91 | L22 |
| L21 | generat$3 with ((device or handler) near (id or identif$5))near format | 3 | L21 |
| L20 | (standardiz$5 or common or generic$4) near format and L19 | 5 | L20 |
| L19 | generat$3 near ((device or handler) near (id or identif$5)) | 505 | L19 |
| L18 | (standardiz$5 or common or generic$4) near format and L17 | 53 | L18 |
| L17 | L15 and L16 | 736 | L17 |
| L16 | (detect$3 or inser$4 or hot$1swap$4 or iinitializ$5) near device | 325260 | L16 |
| L15 | generat$3 with ((device or handler) near (id or identif$5)) | 4181 | L15 |
| L14 | L12 and L13 | 95 | L14 |
| L13 | (error or fault or fail$3 or problem)near (request or query or command) | 14148 | L13 |
| L12 | L10 and L11 | 507 | L12 |
| L11 | (generic$4 or translat$3 or conver$4 or ((standard$4 or common) near | 26599 | L11 |

format)) near (request or query or command)

| L10 | device with (id or identif$6) near (request or command or query or instruction) | 5509 | L10 |
| L9 | L4 and L8 | 191 | L9 |
| L8 | (reply or response or result) with (control near (command or request or query)) | 16380 | L8 |
| L7 | L4 and L6 | 303 | L7 |
| L6 | (reply or response or result) same (control near (command or request or query)) | 27202 | L6 |
| L5 | device with (initializ$5 or hot$1swap$$ or detect$3) and L4 | 157 | L5 |
| L4 | L2 and L3 | 762 | L4 |
| L3 | (control near (command or request or query)) same driver | 5413 | L3 |
| L2 | (((standard$4 or common) near format) or conver$4 or translat$3) with (control near (command or request or query)) | 6627 | L2 |
| L1 | 6697884.pn. | 2 | L1 |

END OF SEARCH HISTORY